

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(polyA or polyT) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L2	27443	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L3	757993	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L4	5351	((poly(A) or poly(T)) near (probe or normaliz\$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L5	114589	repetitive or alu	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L6	113573	((((poly(A) or poly(T)) near (probe or normaliz\$)) and array) and (calibrat\$ or normaliz\$) near poly(A) and (repetitive or alu)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L7	47	(calibrat\$ or normaliz\$) near poly	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L8	196288	nucleic or polynucleotide	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L9	7	((calibrat\$ or normaliz\$) near poly) and (nucleic or polynucleotide)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L10	2	("5225326").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L11	742	bioB or BioC or BioD	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02

L12	102	array and (bioB or BioC or BioD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L13	458	random adj oligonucleotides	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L14	0	(array and (bioB or BioC or BioD)) and (random adj oligonucleotides)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L15	389237	normaliz\$ or calibrat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L16	58	(array and (bioB or BioC or BioD)) and (normaliz\$ or calibrat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L17	2	("6132997").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L18	5198	random adj (oligonucleotide or primer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L19	295639	hybridiz\$ or anneal\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L20	4840	(random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L21	802396	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L22	1399	((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L23	389237	normaliz\$ or calibrat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02

L24	580	((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array) and (normaliz\$ or calibrat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L25	774298	model\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L26	490213	protein or peptide or polypeptide	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L27	93044	model\$ and (protein or peptide or polypeptide)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L28	44443	3-D or 3-dimension\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L29	3308	(model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L30	11262	sequence adj align\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L31	740	((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L32	229232	genomic or (large adj scale)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L33	669	((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$) and (genomic or (large adj scale))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L34	13085	model\$ near (build\$ or creat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02

L35	103	(((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L36	103	(((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L37	103	L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L38	13085	model\$ near (build\$ or creat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L39	13085	L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L40	8	(polyA or polyT) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L41	8	L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L42	27443	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L43	27443	L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L44	757993	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02

L45	757993	L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L46	5351	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L47	5351	L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L48	5351	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L49	5351	L48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L50	5351	L49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L51	5351	L48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L52	757993	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L53	757993	L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L54	757993	L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L55	757993	L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02

L56	27443	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L57	27443	L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L58	27443	L57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L59	27443	L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L60	8	(polyA or polyT) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L61	8	L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L62	8	L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L63	8	L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L64	13085	model\$ near (build\$ or creat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L65	13085	L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L66	13085	L65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02

L67	13085	L65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L68	13085	L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L69	103	(((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L70	103	L69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L71	103	L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L72	103	L69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L73	103	(((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L74	103	L73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:02
L75	27443	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
L76	757993	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02

L77	5351	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:02
S1	5	(polyA or polyT) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:48
S2	19972	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:49
S3	532944	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:49
S4	3197	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:49
S5	27663975	calibrat\$ or normaliz\$) near poly(A	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 13:01
S6	3197	((poly(A) or poly(T)) near (probe or normaliz \$)) and array) and (calibrat\$ or normaliz\$) near poly(A)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:51
S7	90322	repetitive or alu	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:52
S8	395	((poly(A) or poly(T)) near (probe or normaliz \$)) and array) and (calibrat\$ or normaliz\$) near poly(A) and (repetitive or alu)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:52
S9	36	(calibrat\$ or normaliz\$) near poly	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 18:10
S10	122052	nucleic or polynucleotide	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 13:02
S11	7	((calibrat\$ or normaliz\$) near poly) and (nucleic or polynucleotide)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 13:32

S12	2	("5225326").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:32
S13	625	bioB or BioC or BioD	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:32
S14	34	array and (bioB or BioC or BioD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:44
S15	291	random adj oligonucleotides	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 15:25
S16	0	(array and (bioB or BioC or BioD)) and (random adj oligonucleotides)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:39
S17	286061	normaliz\$ or calibrat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:44
S18	14	(array and (bioB or BioC or BioD)) and (normaliz\$ or calibrat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 17:14
S19	2	("6132997").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 17:14
S20	3304	random adj (oligonucleotide or primer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 15:26
S21	211594	hybridiz\$ or anneal\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 15:26
S22	3094	(random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 15:26
S23	562947	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 15:27
S24	771	((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 15:27

S25	286061	normaliz\$ or calibrat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 15:27
S26	269	((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array) and (normaliz\$ or calibrat \$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/25 10:56
S27	504829	model\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:58
S28	332836	protein or peptide or polypeptide	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:58
S29	60481	model\$ and (protein or peptide or polypeptide)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:59
S30	28694	3-D or 3-dimension\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:59
S31	1657	(model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension \$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 15:59
S32	5399	sequence adj align\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 16:00
S33	265	((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension \$)) and (sequence adj align\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 16:00
S34	156094	genomic or (large adj scale)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 16:01
S35	235	((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 16:01

S36	7029	model\$ near (build\$ or creat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 16:02
S37	32	((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/25 16:02
S38	95	((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:40
S39	95	S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:40
S40	12314	model\$ near (build\$ or creat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:41
S41	12314	S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:41
S42	8	(polyA or polyT) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:42
S43	8	S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:42
S44	26612	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:42
S45	26612	S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:42

S46	731419	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:42
S47	731419	S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:42
S48	5132	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:42
S49	5132	S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:42
S50	5132	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:44
S51	5132	S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:44
S52	5132	S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:44
S53	5132	S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:44
S54	731419	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:45
S55	731419	S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:45
S56	731419	S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:45

S57	731419	S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:45
S58	26612	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:45
S59	26612	S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:45
S60	26612	S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:45
S61	26612	S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:45
S62	8	(polyA or polyT) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:46
S63	8	S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46
S64	8	S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46
S65	8	S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46
S66	12314	model\$ near (build\$ or creat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:46
S67	12314	S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46

S68	12314	S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46
S69	12314	S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46
S70	12314	S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:46
S71	95	((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:47
S72	95	S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:47
S73	95	S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:47
S74	95	S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:47
S75	95	((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/20 00:47
S76	95	S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 00:47

S78	27443	(poly(A) or poly(T)) near (probe or normaliz\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:00
S79	757993	array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:00
S80	5351	((poly(A) or poly(T)) near (probe or normaliz \$)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 13:00

1/21/2009 1:09:19 PM

C:\Documents and Settings\szhou1\My Documents\EAST\Workspaces\10086748.wsp